




# Escuela Primaria Casey



## Evaluaciones de idoneidad educacional y de la condición de las instalaciones - 2020




## Evaluaciones de idoneidad educacional y de la condición de las instalaciones - 2020



### E A:

--- E A  
: 64



64

**Escuela**


|       |    |
|-------|----|
| 1 - E | 1  |
| 2 - A | 7  |
| 3 - E | 67 |
| 4 -   | 4  |
| 5 - C | 76 |
| 6 - C | 52 |
| 7 -   | 4  |

**Academia**

|        |    |
|--------|----|
| 8 - A  | 44 |
| 9 - A  | 53 |
| 10 - E | 0  |
| 11 -   | 70 |
| 12 -   | 73 |
| 13 -   | 65 |
| 14 - E | 45 |

### FCA:

--- FCA  
: 62



67

**Escuela**

|         |     |
|---------|-----|
| 1 - A   | 6   |
| 2 - A   | 6   |
| 3 - E   | 100 |
| 4 -     | 74  |
| 5 -     | 32  |
| 6 - F   | 76  |
| 7 - / E | 4   |

**Academia**

|        |  |
|--------|--|
| 0-35   |  |
| 36-50  |  |
| 51-65  |  |
| 66-80  |  |
| 81-100 |  |

Preguntas/Comentarios  
Correo electrónico:  
Assessments@perkinswill.com